



SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1

PRODUCT IDENTIFICATION

PRODUCT NAME	ORANGE SWEET, ESSENTIAL OIL ORGANIC				
BIOLOGICAL DEFINITION	CITRUS AURANTIUM DULCIS PEEL OIL EXPRESSED IS AN ESSENTIAL OIL EXPRESSED FROM THE FRESH EPICARPS OF THE SWEET ORANGE, CITRUS AURANTIUM L. VAR. DULCIS L. (SYN: CITRUS SINENSIS),				
INCI NAME	CITRUS AURANTIUM DULCIS				
SYNONYMS & TRADE NAMES	-				
INTERNAL PRODUCT CODE	-				
CAS-No	8028-48-6	EC No.	232-433-8	EINECS No.	232-433-8

1.2

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

COMPANY ADDRESS	ECODROP LIMITED, PEMBROKE LODGE, 3 PEMBROKE ROAD, RUISLIP, HA4 8NQ
EMAIL	SUPPORT@ECODROP.CO.UK

1.3

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

EMERGENCY CONTACTS	+44 (0)7732 546773
--------------------	--------------------

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.

WWW.ECODROP.CO.UK

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE		THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.	
		THE FULL TEXT FOR HAZARD STATEMENTS IS DISPLAYED IN SECTION 16. HUMAN HEALTH	

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.

	NO DATA
SECTION 3: COMPOSITION OF INGREDIENTS	
3.2 MIXTURES	<p>≤ 97.0% D-LIMONENE CAS-No: 5989-27-5 EC No.: 227-813-5 CLASSIFICATION (EC 1272/2008): FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317 ASP. TOX. 1 - H304, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410</p> <p>1.0 – 5.0% A-PINENE NATURAL CAS-No: 80-56-8 EC No.: 201-291-9 CLASSIFICATION (EC 1272/2008): FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, ASP. TOX. 1 - H304</p> <p>1.0 – 5.0% A-TERPINEOL (P-MENTH-1-EN-8-OL) CAS-No: 98-55-5 EC No.: 202-680-6 CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319</p> <p>1.0 – 5.0% CITRAL CAS-No: 5392-40-5 EC No.: 226-394-6 CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, SKIN SENS. 1 - H317</p> <p>1.0 – 5.0% CITRONELLAL CAS-No: 106-23-0 EC No.: 203-376-6 CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC CHRONIC 2 - H411</p> <p>1.0 – 5.0% DECANAL CAS-No: 112-31-2 EC No.: 203-957-4 CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2 - H315, AQUATIC CHRONIC 3 - H412</p> <p>1.0 – 5.0 LINALOOL CAS-No: 78-70-6 EC No.: 201-134-4 CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2 - H315</p> <p>1.0 – 5.0 % MYRCENE (7-METHYL-3-METHYLENEOCTA-1,6-DIENE) CAS-No: 123-35-3 EC No.: 204-622-5 CLASSIFICATION (EC 1272/2008): FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319 ASP. TOX. 1 - H304</p> <p>1.0 – 5.0 % OCTANAL CAS-No: 124-13-0 EC No.: 204-683-8 CLASSIFICATION (EC 1272/2008): FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319 AQUATIC CHRONIC 3 - H412</p>

SECTION 4: FIRST AID MEASURES	
4.1 DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
INGESTION	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	NO DATA.
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	NO DATA.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.

SECTION 5: FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES
5.3 ADVICE FOR FIRE-FIGHTERS	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.



SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
6.2 ENVIRONMENTAL PRECAUTIONS	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
6.4 REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 13.

SECTION 7: HANDLING & STORAGE

7.1 PRECAUTIONS FOR SAFE-HANDLING	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.
7.3 SPECIFIC END USE(S)	NO DATA.

SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 CONTROL PARAMETERS	LINALOOL CASNo: 78-70-6	NO EXPOSURE LIMITS NOTED FOR INGREDIENTS.
8.2 EXPOSURE CONTROLS	 	
EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.	
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.	
RESPIRATORY EQUIPMENT	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE	

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.

	OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.
HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
ENGINEERING MEASURES	NONE.
SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.
OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
PROCESS CONDITIONS	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
ENVIROMENTAL EXPOSURE CONTROLS	AVOID DISCHARGING INTO DRAINAGE WATER.

--	--

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

9.1 PHYSICAL & CHEMICAL PROPERTIES	
APPEARANCE	LIQUID
COLOUR	ORANGE TO ORANGE RED.
ODOUR	CHARACTERISTIC
RELATIVE DENSITY	0.838 - 0.850 @ 20°C
FLASH POINT (°C)	48°C
REFRACTIVE INDEX @ 20 °C	1.468 - 1.480 @ 20°C
SOLUBILITY IN WATER @ 20 °C	NO DATA
9.2 OTHER INFORMATION	NA.

SECTION 10: STABILITY & REACTIVITY

10.1 REACTIVITY	NO HAZARDOUS REACTIONS IF STORED AND HANDLED AS PRESCRIBED / INDICATED.
10.2 CHEMICAL STABILITY	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C).
10.3 POSSIBILITY OF HAZARDOUS REACTIONS	NO.
10.4 CONDITIONS TO AVOID	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C.
10.5 INCOMPATIBLE MATERIALS	STRONG OXIDISING SUBSTANCES.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.

WWW.ECODROP.CO.UK

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
SKIN IRRITATION	MAY CAUSE SENSITISATION BY SKIN CONTACT.
EYE DAMAGE OR IRRITATION	SPRAY AND VAPOUR IN THE EYES MAY CAUSE IRRITATION AND SMARTING.
RESPIRATORY OR SKIN SENSITIVITY	IN HIGH CONCENTRATIONS, VAPOURS MAY IRRITATE THROAT AND RESPIRATORY SYSTEM AND CAUSE COUGHING.
GERM CELL MUTAGENICITY	NO DATA
CARCINOGENICITY	NOT APPLICABLE.
REPRODUCTIVE TOXICITY	NOT APPLICABLE.
STOT – SINGLE EXPOSURE	NOT APPLICABLE.
STOT – REPEATED EXPOSURE	NOT APPLICABLE.
ASPIRATION HAZARD	NO DATA
OTHER INFORMATION	NO DATA.

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY	THE PRODUCT CONTAINS A SUBSTANCE WHICH IS TOXIC TO AQUATIC ORGANISMS AND WHICH MAY CAUSE LONG TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
12.2 PERSISTENCE & DEGRADABILITY	NO DATA
12.3 BIO- ACCUMULATIVE POTENTIAL	NO DATA
12.4 MOBILITY IN SOIL	NO DATA.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	NO DATA
12.6 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.

SECTION 13: DISPOSAL INFORMATION

13.1 WASTE TREATMENT METHODS	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.
---	--

SECTION 14: TRANSPORT INFORMATION

14.1 TRANSPORT INFORMATION

UN NUMBER	ROAD: 1993 RAIL: 1993
------------------	--------------------------

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.

	AIR: 1993
14.2 UN SHIPPING NAME	FLAMMABLE LIQUID , N.O.S (TERPENE HYDROCARBONS).
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID/ADN CLASS: 3 (FLAMMABLE LIQUID) IMDG CLASS: 3 (FLAMMABLE LIQUID) ICAO CLASS/DIVISION: 3 (FLAMMABLE LIQUID) TRANSPORT LABELS
14.4 PACKING GROUP	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III
14.5 ENVIRONMENTAL HAZARDS	ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT
14.6 SPECIAL PRECAUTIONS FOR USER	EMS: F-E-S-D HAZARD No. (ADR): 30 FLAMMABLE LIQUID (FLASH-POINT BETWEEN 23°C AND 60°C, INCLUSIVE) OR FLAMMABLE LIQUID OR SOLID IN THE MOLTEN STATE WITH A FLASH-POINT ABOVE 60°C, HEATED TO A TEMPERATURE EQUAL TO OR ABOVE ITS FLASH-POINT, OR SELF HEATING LIQUID. TUNNEL RESTRICTION CODE: (D/E)
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	PACKED AND TRANSFERRED ACCORDING TO TRANSPORT REGULATIONS.

SECTION 15: REGULATORY INFORMATION

15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION

EU DIRECTIVES	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) No793/93 & COMMISSION REGULATION (EC) No1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 No 716).
APPROVED CODE OF PRACTICE	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 CHEMICAL SAFETY ASSESSMENT	AN ASSESSMENT HAS NOT BEEN EXECUTED AS THIS IS NOT A HAZARDOUS MATERIAL ACCORDING TO ARTICLE 31 OF REACH 1907/2006.

SECTION 16: OTHER INFORMATION

with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM

HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL		H319 CAUSES SERIOUS EYE IRRITATION. H315 CAUSES SKIN IRRITATION. H226 FLAMMABLE LIQUID AND VAPOUR. H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H400 VERY TOXIC TO AQUATIC LIFE.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.		
ABBREVIATIONS & ACRONYMS:		
	MSDS	MATERIAL SAFETY DATA SHEET.
	INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
	CAS	CHEMICAL ABSTRACT SERVICE.
	IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
	ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
	RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
	ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
	ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
	GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
	TREM CARD	TRANSPORT EMERGENCY CARD.
	STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 TH APRIL 2019	DATA LAUNCH

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM