

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION	OF THE SUBSTA	ANCE/MIX	TURE AND OF THE COM	MPANY/UNDER	RTAKING
1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	LEMON, ESSENTIAL OIL ORGANIC				
BIOLOGICAL DEFINITION	CITRUS LIMON PEEL OIL IS THE VOLATILE OIL OBTAINED BY COLD COMPRESSION OF THE FRESH PEEL OF THE LEMON, CITRUS LIMON (L.), RUTACEAE.				
INCI NAME	CITRUS LIMON PEEL				
SYNONYMS & TRADE NAMES	-				
INTERNAL PRODUCT CODE	-				
CAS-No	8008-56-8 / 84929-31-7	EC No.	284-515-8	EINECS No.	284-515-8
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
COMPANY ADDRESS	ECODROP LIMITED, PEMBROKE LODGE, 3 PEMBROKE ROAD, RUISLIP, HA4 8NQ				
EMAIL	SUPPORT@ECODROP.CO.UK				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY	1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET				
24HRS EMERGENCY CONTACT	999				

SECTION 2: HAZARDS IDENTIFICATIO	N	
2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.	
CLASSIFICATION (67/548/EEC) CLASSIFICATION (EU1272/2008)	NO ADDITIONAL DATA AVAILABLE. FLAMMABLE LIQUID, HAZARD CATEGORY 3. H226 SKIN CORROSION / IRRITATION CATEGORY 2. H315 SENSITIZATION - SKIN CATEGORY 1. H317 ASPIRATION HAZARD CATEGORY 1. H304 HAZARDOUS TO THE AQUATIC ENVIRONMENT - ACUTE HAZARD CATEGORY 1. H410	
2.2 LABEL ELEMENTS	LABEL IN ACCORDANCE WITH REGULATION (EC) No 1272/2008.	
GHS LABEL	GHS02 GHS07 GHS08 GHS09	
Signal Word	DANGER.	
Contains	LIMONENE, PINENES, CITRAL, MYRCENE	
HAZARDS STATEMENT	H226, FLAMMABLE LIQUID AND VAPOUR. H304, MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315, CAUSES SKIN IRRITATION. H317, MAY CAUSE AN ALLERGIC SKIN REACTION. H410, VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.	
PRECAUTIONARY STATEMENTS	P210, KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. P241, USE EXPLOSION-PROOF ELECTRICAL, VENTILATING AND LIGHTING EQUIPMENT. P262, DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. P273, AVOID RELEASE TO THE ENVIRONMENT. P280, WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. P301/310, IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. P303/361/353, IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER. P331, DO NOT INDUCE VOMITING.	
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P405, STORE LOCKED UP. P501, DISPOSE OF CONTENTS/CONTAINER TO APPROVED DISPOSAL SITE, IN ACCORDANCE WITH LOCAL REGULATIONS.	
2.3	SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.	
OTHER HAZARDS		
Adverse Physio-Chemical Properties	NO DATA	
ADVERSE EFFECTS ON HUMAN HEALTH	WITH THE PRESENCE OF FUROCOUMARINS, THE PRODUCT MAY HAVE PHOTOTOXIC EFFECTS (SKIN).	
PBT or vPvB according to Annex XIII	No Data	
SECTION 3: COMPOSITION OF INGREE		
3.2 MIXTURES	~66.0% LIMONENE CAS-NO: 5989-27-5; EC NO.: 227-813-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, ASP. TOX. 1 - H304, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410 ~13.0% B-PINENE CAS NO: 127-91-3; EC NO: 20-872-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317	

~ 9.0% r-Terpinene (p-mentha-1,4-diene) CAS No99-85-4; EC No:202-794-6 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 − H226, ASP TOX. 1 −H304;

~3.0% CITRAL CAS No:5392-40-5; EC No:226-394-6 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 − H315, EYE IRRIT. 2 − H319, SKIN SENS. 1 − H317

~2.5% A-PINENE CAS No:80-56-8; EC No:201-291-9 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3, H226; ASP. TOX. 1, H304; SKIN SENS. 1, H317; AQUATIC ACUTE 1, AQUATIC CHRONIC 1, H410

~1.5% Sabinene CAS No:3387-41-5; EC No:222-212-4 CLASSIFICATION (EC 1272/2008) FLAMMABLE LIQ. CAT 3, H226

~1.5% MYRCENE CAS No: 123-35-3; EC No:204-622-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 − H226, ASP. TOX. 1 − H304, AQUATIC CHRONIC 3 − H412

SECTION 4: FIRST AID MEASURES		
4.1 DESCRIPTION OF FIRST AID MEASURES		
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.	
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.	
Ingestion	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.	
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.	
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.	
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	INHALATION MAY CAUSE COUGHING AND DIFFICULTIES IN BREATHING. INGESTION IRRITATING TO THE RESPIRATORY TRACT AND MAY CAUSE DAMAGE TO THE CENTRAL NERVOUS SYSTEM. SKIN CONTACT TOXIC IN CONTACT WITH SKIN. EYE CONTACT MAY CAUSE EYE IRRITATION.	
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	NONE EXPECTED, SEE SECTION 4.1 FOR FURTHER INFORMATION.	

SECTION 5: FIRE FIGHTING MEASURES		
5.1 EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.	
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES	
5.3 Advice for fire-fighters	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.	

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
6.2 ENVIRONMENTAL PRECAUTIONS	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
6.4 REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 13.


SECTION 7: HANDLING & STORAGE		
7.1 PRECAUTIONS FOR SAFE-HANDLING	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.	
7.2 CONDITIONSFOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.	
7.3 SPECIFIC END USE(S)	No Data.	
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION		
8.1 CONTROL PARAMETERS	NO DATA.	
EXPOSURE CONTROLS		
EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.	
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.	
RESPIRATORY EQUIPMENT	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE ANAPPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.	
Hygiene Measures		
HYGIENE MEASURES ENGINEERING MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. NONE.	
	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.	
ENGINEERING MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. NONE.	
ENGINEERING MEASURES SKIN PROTECTION	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. NONE. WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.	
ENGINEERING MEASURES SKIN PROTECTION PERSONAL PROTECTION	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. NONE. WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.	
ENGINEERING MEASURES SKIN PROTECTION PERSONAL PROTECTION OTHER PROTECTION	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS NONE. WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.	
ENGINEERING MEASURES SKIN PROTECTION PERSONAL PROTECTION OTHER PROTECTION PROCESS CONDITIONS ENVIROMENTAL EXPOSURE CONTROLS SECTION 9: PHYSICAL & CHEMICAL PROPERTIES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. NONE. WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS. ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.	
ENGINEERING MEASURES SKIN PROTECTION PERSONAL PROTECTION OTHER PROTECTION PROCESS CONDITIONS ENVIROMENTAL EXPOSURE CONTROLS SECTION 9: PHYSICAL & CHEMICAL PROPERTIES 9.1	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. NONE. WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS. ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH. AVOID DISCHARGING INTO DRAINAGE WATER.	
ENGINEERING MEASURES SKIN PROTECTION PERSONAL PROTECTION OTHER PROTECTION PROCESS CONDITIONS ENVIROMENTAL EXPOSURE CONTROLS SECTION 9: PHYSICAL & CHEMICAL PROPERTIES 9.1 PHYSICAL & CHEMICAL PROPERTIES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. NONE. WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS. ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH. AVOID DISCHARGING INTO DRAINAGE WATER.	

RELATIVE DENSITY	0.846 - 0.856 @ 20°C
FLASH POINT (°C)	49°C
Refractive Index @ 20 ℃	APPROX. 1.472 – 1.478 @ 20°C
Solubility in water @ 20 $^{\circ}C$	INSOLUBLE IN WATER. SOLUBLE IN ALCOHOL AND OTHER OILS.
9.2 OTHER INFORMATION	NO DATA.
SECTION 10: STABILITY & REACTIVITY	
10.1	PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS, BY ITSELF OR IN CONTACT WITH WATER. STABLE UNDER NORMAL
REACTIVITY	TEMPERATURE AND STORAGE CONDITIONS AND RECOMMENDED USE.
10.2 CHEMICAL STABILITY	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C).
10.3 POSSIBILITY OF HAZARDOUS REACTIONS	No.
10.4 CONDITIONS TO AVOID	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C.
10.5 INCOMPATIBLE MATERIALS	P.V.C
10.6	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE
HAZARDOUS DECOMPOSITION PRODUCTS	A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

SECTION 11: TOXICOLOGICAL INFORMATION	
11.1 TOXICOLOGICAL EFFECTS	
Αςυτε Τοχιςιτγ	LD50: 5000mg/kg bw (oral: rat) LD50: 10000 mg/kg bw (Dermal: rabbit) (source CSR)
SKIN IRRITATION	CONSIDERED A SKIN IRRITANT (ROUTE: DRM). THERE MAY BE IRRITATION AND REDNESS AT SITE OF CONTACT.
EYE DAMAGE OR IRRITATION	NOT CLASSIFIED AS IRRITATING TO THE EYE (SOURCE CSR)
RESPIRATORY OR SKIN SENSITIVITY	MAY CAUSE AN ALLERGIC SKIN REACTION.
GERM CELL MUTAGENICITY	NEGATIVE. (SOURCE CSR).
CARCINOGENICITY	NOT APPLICABLE.
REPRODUCTIVE TOXICITY	NOT APPLICABLE.
STOT – SINGLE EXPOSURE	NOT APPLICABLE.
STOT – REPEATED EXPOSURE	NOT APPLICABLE.
ASPIRATION HAZARD	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS (H304).
OTHER INFORMATION	NO DATA.
SECTION 12: ECOLOGICAL INFORMATION	
12.1 Toxicity	MARINE POLLUTANT. AQUATIC LIFE: H410; VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. ALGAE/AQUATIC PLANTS: EC50/LC50 FOR FRESHWATER ALGAE: 0.523 MG/L (SOURCE CSR). FISH: LC50 FOR FRESHWATER FISH: 0.341 MG/L (SOURCE CSR). AQUATIC INVERTEBRATES: EC50/LC50 FOR FRESH WATER INVERTEBRATES; 0.313 MG/L (SOURCE CSR). PNECS: WATER: AQUA (FRESHWATER):

12.6 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	THIS SUBSTANCE DOES NOT MEET THE PBT/VPVB CRITERIA OF REACH, ANNEX XIII.
12.4 Mobility in soil	CONSIDERED AS A READILY BIODEGRADABLE NCS. BASED ON THE READY BIODEGRADABILITY OF THE NCS, SIMULATION TESTS IN SURFACE WATER, SEDIMENT AND SOIL ARE NOT REQUIRED IN ACCORDANCE WITH EFFECTS.
PERSISTENCE & DEGRADABILITY 12.3 BIO- ACCUMULATIVE POTENTIAL	FULFIL THE CRITERIA FOR PERSISTENCE. BIO-ACCUMALATION POTENTIAL
12.2	AQUA (MARINE WATER): 0.54 µG/L AQUA (INTERMITTENT RELEASE): 577 µG/L SEDIMENT (FRESHWATER): 1.3 MG/KG SEDIMENT DW SEDIMENT (MARINE WATER): 0.13 MG/KG SEDIMENT DW SEWAGE TREATMENT PLANT: 2.1 MG/L SOIL: 0.261 MG/KG SOIL DW ORAL: 13.3 MG/KG (SOURCE CSR). TOBE CONSIDERED AS READILY BIODEGRADABLE BASED ON ITS READY BIODEGRADABILITY. OIL DOES NOT

14.1 TRANSPORT INFORMATION	
UN Number	ROAD: 1169 RAIL: 1169 AIR: 1169
14.2 UN SHIPPING NAME	EXTRACTS, AROMATIC, LIQUID. ADR/RID/ADN CLASS: 3 FLAMMABLE LIQUID.
14.3 Transport Hazard Class(ES)	IMDG CLASS: ICAO CLASS/DIVISION: 3 FLAMMABLE LIQUID. TRANSPORT LABELS FLAMMABLE 3
14.4 PACKING GROUP	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III
14.5 Enviromental Hazards	ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT



SECTION 16: OTHER INFORMATION

	H226, FLAMMABLE LIQUID AND VAPOUR.
HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H304, May be fatal if swallowed and enters airways.
HAZARD AND OR PRECAUTIONART STATEMENTS IN FOLL	H315, CAUSES SKIN IRRITATION.
	H317, MAY CAUSE AN ALLERGIC SKIN REACTION.
	H410, VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MERCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN
AUI	AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10™ APRIL 2019	Data Launch