





SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING					
<b>1.1</b> PRODUCT IDENTIFICATION					
PRODUCT NAME	TEA TREE (AUSTRALIAN), ESSENTIAL OIL ORGANIC				
BIOLOGICAL DEFINITION	MELALEUCA ALTERNIFOLIA LEAF OIL IS THE OIL DISTILLED FROM THE LEAVES OF THE TEA TREE, MELALEUCA ALTERNIFOLIA, MYRTACEAE.				
INCI NAME	MELALEUCA ALTERNIFOLIA LEAF				
SYNONYMS & TRADE NAMES	TEA TREE OIL				
INTERNAL PRODUCT CODE					
CAS-No	68647-73-4	EC No.	285-377-1	EINECS No.	285-377-1
<b>1.2</b> DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
COMPANY ADDRESS	ECODROP LIMITED, PEMBROKE LODGE, 3 PEMBROKE ROAD, RUISLIP, HA4 8NQ				
EMAIL	SUPPORT@ECODROP.CO.UK				
<b>1.3</b> DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
24HRS EMERGENCY CONTACT	999				
SECTION 2: HAZARDS IDENTIFICATION					
<b>2.1</b> CLASSIFICATION OF THE SUBSTANCE OR MIXTURE		THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.			
CLASSIFICATION (67/548/EEC)		NO ADDITIONAL DATA AVAILABLE.			
CLASSIFICATION (EU1272/2008)		PHYSICAL AND CHEMICAL HAZARDS: FLAM. LIQ. 3 - H226  HUMAN HEALTH: ACUTE TOX. 4 - H302. SKIN IRRIT. 2 - H315. EYE IRRIT. 2 - H319. SKIN SENS. 1 - H317. ASP. TOX. 1 - H304.  ENVIRONMENT: AQUATIC ACUTE 2 - H401. AQUATIC CHRONIC 2 - H411.			
<b>2.2</b> LABEL ELEMENTS		LABEL IN ACCORDANCE WITH REGULATION (EC) No 1272/2008.			
GHS LABEL		   			
SIGNAL WORD		DANGER.			
CONTAINS		ALPHA PINENE NATURAL, A-TERPINENE, BETA PINENE, G-TERPINENE, LIMONENE, TERPINEN-4-OL			
HAZARDS STATEMENT		H226 FLAMMABLE LIQUID AND VAPOUR. H302 HARMFUL IF SWALLOWED. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H319 CAUSES SERIOUS EYE IRRITATION. H401 TOXIC TO AQUATIC LIFE. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.			

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.

<b>PRECAUTIONARY STATEMENTS</b>	<p>P273 AVOID RELEASE TO THE ENVIRONMENT.</p> <p>P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.</p> <p>P262 DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING.</p> <p>P301+310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.</p> <p>P305+351+338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.</p> <p>P331 DO NOT INDUCE VOMITING.</p> <p>P391 COLLECT SPILLAGE.</p>
<b>SUPPLEMENTARY PRECAUTIONARY STATEMENTS</b>	<p>P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.</p> <p>P233 KEEP CONTAINER TIGHTLY CLOSED.</p> <p>P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.</p> <p>P241 USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING/.../EQUIPMENT.</p> <p>P242 USE ONLY NON-SPARKING TOOLS.</p> <p>P243 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.</p> <p>P261 AVOID BREATHING DUST/FUME/GAS/MIST/VAPOURS/SPRAY.</p> <p>P264 WASH ... THOROUGHLY AFTER HANDLING.</p> <p>P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.</p> <p>P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE.</p> <p>P301+312 IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL.</p> <p>P302+352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.</p> <p>P303+361+353 IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.</p> <p>P313 GET MEDICAL ADVICE/ATTENTION.</p> <p>P321 SPECIFIC TREATMENT (SEE ... ON THIS LABEL).</p> <p>P330 RINSE MOUTH.</p> <p>P332+313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION.</p> <p>P333+313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.</p> <p>P337 IF EYE IRRITATION PERSISTS:</p> <p>P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.</p> <p>P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.</p>
	<p>P370+378 IN CASE OF FIRE: USE ... FOR EXTINCTION.</p> <p>P403+235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.</p> <p>P405 STORE LOCKED UP.</p> <p>P501 DISPOSE OF CONTENTS/CONTAINER TO ...</p>
<b>SECTION 16 (OTHER INFORMATION): RISK &amp; SAFETY PHRASES IN FULL.</b>	
<b>2.3 OTHER HAZARDS</b>	
<b>ADVERSE PHYSIO-CHEMICAL PROPERTIES</b>	No DATA
<b>ADVERSE EFFECTS ON HUMAN HEALTH</b>	No DATA
<b>PBT OR VPvB ACCORDING TO ANNEX XIII</b>	No DATA

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.

## SECTION 3: COMPOSITION OF INGREDIENTS

3.2 MIXTURES	1.0 – 5.0% ALPHA PINENE NATURAL CAS-No: 80-56-8 EC No: 201-291-9 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, ASP. TOX. 1 - H304
	1.0 – 5.0% A-TERPINEOL (P-MENTH-1-EN-8-OL) CAS-No: 98-55-5 EC No: 202-680-6 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319
	1.0 – 5.0% BETA-PINENE CAS-No: 127-91-3 EC No: 204-872-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, ASP. TOX. 1 - H304
	10.0 – 30.0% r-TERPINENE CAS-No: 99-85-4 EC No: 202-794-6 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304
	10.0 – 30.0% A-TERPINENE CAS-No: 99-86-5 EC No: 202-795-1 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ACUTE TOX. 4 - H302, ASP. TOX. 1 - H304, AQUATIC CHRONIC 2 - H411
	1.0 – 5.0% D-LIMONENE CAS-No: 5989-27-5 EC No: 227-813-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, ASP. TOX. 1 - H304, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410
	5.0 – 10.0% P-CYME NE CAS-No: 99-87-6 EC No: 202-796-7 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, ASP. TOX. 1 - H304, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410
	30.0 – 60.0% TERPIN-4-OL CAS-No: 562-74-3 EC No: 209-235-5 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, AQUATIC ACUTE 3 - H402
	1.0 – 5.0% TERPINOLENE CAS-No: 586-62-9 EC No: 209-57-0 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, AQUATIC CHRONIC 2 - H411

## SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
INGESTION	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.

<b>EYE CONTACT</b>	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
<b>4.2</b> MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	INHALATION MAY CAUSE COUGHING AND DIFFICULTIES IN BREATHING. INGESTION IRRITATING TO THE RESPIRATORY TRACT AND MAY CAUSE DAMAGE TO THE CENTRAL NERVOUS SYSTEM. SKIN CONTACT TOXIC IN CONTACT WITH SKIN. EYE CONTACT MAY CAUSE EYE IRRITATION.
<b>4.3</b> INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	NONE EXPECTED, SEE SECTION 4.1 FOR FURTHER INFORMATION.

## SECTION 5: FIRE FIGHTING MEASURES

<b>5.1</b> EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.
<b>5.2</b> SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES
<b>5.3</b> ADVICE FOR FIRE-FIGHTERS	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>6.1</b> PERSONAL PRECAUTIONS	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
<b>6.2</b> ENVIRONMENTAL PRECAUTIONS	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
<b>6.3</b> METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
<b>6.4</b> REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 13.

## SECTION 7: HANDLING & STORAGE

<b>7.1</b> PRECAUTIONS FOR SAFE-HANDLING	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
<b>7.2</b> CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.
<b>7.3</b> SPECIFIC END USE(S)	NO DATA.

## SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION

<b>8.1</b> CONTROL PARAMETERS	P-CYMENE (CAS: 99-87-6) CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.
<b>8.2</b> EXPOSURE CONTROLS	

*The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.*

	
<b>EYE PROTECTION</b>	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
<b>HAND PROTECTION</b>	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
<b>RESPIRATORY EQUIPMENT</b>	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.
<b>HYGIENE MEASURES</b>	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
<b>ENGINEERING MEASURES</b>	NONE.
<b>SKIN PROTECTION</b>	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
<b>PERSONAL PROTECTION</b>	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.
<b>OTHER PROTECTION</b>	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
<b>PROCESS CONDITIONS</b>	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
<b>ENVIROMENTAL EXPOSURE CONTROLS</b>	AVOID DISCHARGING INTO DRAINAGE WATER.
<b>SECTION 9: PHYSICAL &amp; CHEMICAL PROPERTIES</b>	
<b>9.1 PHYSICAL &amp; CHEMICAL PROPERTIES</b>	
<b>APPEARANCE</b>	LIQUID
<b>COLOUR</b>	COLOURLESS TO PALE YELLOW.
<b>ODOUR</b>	CHARACTERISTIC – POWERFUL, WARM, SPICY.
<b>RELATIVE DENSITY</b>	0.885 - 0.906 @ 20°C
<b>FLASH POINT (°C)</b>	57°C
<b>REFRACTIVE INDEX @ 20 °C</b>	1.473 - 1.482 @ 20°C
<b>SOLUBILITY IN WATER @ 20 °C</b>	INSOLUBLE IN WATER
<b>9.2 OTHER INFORMATION</b>	NO DATA.
<b>SECTION 10: STABILITY &amp; REACTIVITY</b>	
<b>10.1 REACTIVITY</b>	PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS, BY ITSELF OR IN CONTACT WITH WATER. STABLE UNDER NORMAL TEMPERATURE AND STORAGE CONDITIONS AND RECOMMENDED USE.
<b>10.2 CHEMICAL STABILITY</b>	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C).
<b>10.3 POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO.
<b>10.4 CONDITIONS TO AVOID</b>	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C.
<b>10.5 INCOMPATIBLE MATERIALS</b>	STRONG ACIDS, ALKALI OR OXIDISING

*The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.*

<b>10.6</b> <b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.
<b>SECTION 11: TOXICOLOGICAL INFORMATION</b>	
<b>11.1</b> <b>TOXICOLOGICAL EFFECTS</b>	
<b>ACUTE TOXICITY</b>	TOXIC DOSE 1 - LD 50 1.9 (1.4 - 2.7) MG/KG (ORAL RAT) TOXIC DOSE 2 - LD 50 1.9 - 2.6 G/KG 13 MG/KG (ORAL RAT)
<b>SKIN IRRITATION</b>	MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN. MAY BE HARMFUL IF SWALLOWED.
<b>EYE DAMAGE OR IRRITATION</b>	MAY CAUSE EYE IRRITATION.
<b>RESPIRATORY OR SKIN SENSITIVITY</b>	POTENTIAL IRRITANT IF INHALED.
<b>GERM CELL MUTAGENICITY</b>	NO DATA
<b>CARCINOGENICITY</b>	NO DATA
<b>REPRODUCTIVE TOXICITY</b>	NO DATA
<b>STOT – SINGLE EXPOSURE</b>	NO DATA
<b>STOT – REPEATED EXPOSURE</b>	NO DATA
<b>ASPIRATION HAZARD</b>	NO DATA
<b>OTHER INFORMATION</b>	NO DATA.
<b>SECTION 12: ECOLOGICAL INFORMATION</b>	
<b>12.1</b> <b>TOXICITY</b>	NOT ACUTELY TOXIC TO FISH (LC50>100MG/L OECD 203).
<b>12.2</b> <b>PERSISTENCE &amp; DEGRADABILITY</b>	THE PRODUCT IS NOT READILY BIODEGRADABLE.
<b>12.3</b> <b>BIO- ACCUMULATIVE POTENTIAL</b>	PARTITION COEFFICIENT 3.4 - 5.5
<b>12.4</b> <b>MOBILITY IN SOIL</b>	MOBILITY: LOG10KOC = 2.3-5.0
<b>12.5</b> <b>RESULTS OF PBT &amp; VPVB ASSESSMENT</b>	THIS SUBSTANCE DOES NOT MEET THE PBT/VPVB CRITERIA OF REACH, ANNEX XIII.
<b>12.6</b> <b>OTHER ADVERSE EFFECTS</b>	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.
<b>SECTION 13: DISPOSAL INFORMATION</b>	
<b>13.1</b> <b>WASTE TREATMENT METHODS</b>	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.
<b>SECTION 14: TRANSPORT INFORMATION</b>	
<b>14.1</b> <b>TRANSPORT INFORMATION</b>	
<b>UN NUMBER</b>	<b>ROAD: 1169</b> <b>RAIL: 1169</b> <b>AIR: 1169</b>
<b>14.2</b> <b>UN SHIPPING NAME</b>	UN1169 EXTRACTS, AROMATIC, LIQUID (TEA TREE)
	ADR/RID/ADN CLASS: 3 FLAMMABLE LIQUID. IMDG CLASS: 3 FLAMMABLE LIQUID. ICAO CLASS/DIVISION: 3 FLAMMABLE LIQUID.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.

<b>14.3</b> <b>TRANSPORT HAZARD CLASS(ES)</b>	TRANSPORT LABELS
<b>14.4</b> <b>PACKING GROUP</b>	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III
<b>14.5</b> <b>ENVIROMENTAL HAZARDS</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT
<b>14.6</b> <b>SPECIAL PRECAUTIONS FOR USER</b>	<i>EMS: F-E, S-D</i> <i>EMERGENCY ACTION CODE: 3YE</i> <i>HAZARD No (ADR): 30 FLAMMABLE LIQUID (FLASH-POINT BETWEEN 23°C AND 60°C, INCLUSIVE) OR FLAMMABLE LIQUID OR SOLID IN THE MOLTEN STATE WITH A FLASH-POINT ABOVE 60°C, HEATED TO A TEMPERATURE EQUAL TO OR ABOVE ITS FLASH-POINT, OR SELF HEATING LIQUID.</i> <i>TUNNEL RESTRICTION CODE: (D/E)</i>
<b>14.7</b> <b>TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 &amp; THE IBC CODE.</b>	NO ADDITIONAL DATA.
<b>SECTION 15: REGULATORY INFORMATION</b>	
<b>15.1</b> <b>PRODUCT SPECIFIC SAFETY, HEALTH &amp; ENVIRONMENTAL REGULATIONS &amp; LEGISLATION</b>	
EU DIRECTIVES	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 <sup>TH</sup> DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) No 793/93 & COMMISSION REGULATION (EC) No 1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 No 716).
APPROVED CODE OF PRACTICE	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
<b>15.2</b> <b>CHEMICAL SAFETY ASSESSMENT</b>	-
<b>SECTION 16: OTHER INFORMATION</b>	
HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H319 CAUSES SERIOUS EYE IRRITATION. H315 CAUSES SKIN IRRITATION. H226 FLAMMABLE LIQUID AND VAPOUR. H302 HARMFUL IF SWALLOWED. H402 HARMFUL TO AQUATIC LIFE. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H401 TOXIC TO AQUATIC LIFE. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H400 VERY TOXIC TO AQUATIC LIFE.
<b>TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.</b>	
ABBREVIATIONS & ACRONYMS:	

*The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.*

<b>MSDS</b>	MATERIAL SAFETY DATA SHEET.
<b>INCI</b>	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
<b>CAS</b>	CHEMICAL ABSTRACT SERVICE.
<b>IMDG</b>	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
<b>ADR</b>	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
<b>RID</b>	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
<b>ICAO</b>	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
<b>ADN</b>	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
<b>GHS</b>	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
<b>TREM CARD</b>	TRANSPORT EMERGENCY CARD.
<b>STOT</b>	SPECIFIC TARGET ORGAN TOXICITY.
<b>DOCUMENTATION REVISION</b>	
<b>DATE</b>	<b>CHANGE DESCRIPTION</b>
<b>10<sup>TH</sup> APRIL 2018</b>	<b>DATA LAUNCH</b>

*The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecodrop regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecodrop.*